

More Human Than Human

Presentation to the Humanity+ Conference



<http://isocracy.org>

University of Melbourne, July 26, 2011

More Human Than Human



More Human Than Human

1.1 Propositional logic includes variables and logical operators. The semantics of propositional logic uses truth assignments to the letters to determine whether a compound propositional sentence is true.

1.2 Predicate logic is an extension of propositional logic to formulas involving terms and quantifiers. Two common quantifiers are the existential \exists ("there exists") and universal \forall ("for all") quantifiers.

1.3 Truth-functional propositional logic without quantifiers are considered "zeroth-order logic". Predicate logic may refer to a "first order logic" as it includes quantifiers (e.g., for all, for some, many, few, a lot, and no).

More Human Than Human

1.4 Such logics are a foundation for formal logic and Boolean algebra etc., represented as functions and truth tables (using C programming language bitwise operators). This is of course abstract and discrete and could be expanded to include Bayesian logic, continuous mathematics etc. e.g.,


P	Q	P Q	P&Q	P^Q
Y	Y	Y	Y	N
Y	N	Y	N	Y
N	Y	Y	N	Y
N	N	N	N	N

More Human Than Human

1.5 Orthodox discrete mathematics describes some statements as non propositions because they do not have a universal definition from which one can derive a rational judgement.

- a) $2 + \text{zebra} \div \text{glockenspiel} = \text{homeopathy works!}$
- b) The earth is beautiful.
- c) Torture is morally wrong.
- d) Chocolate ice-cream is tasty.
- e) Hippias is a liar.

These are non-propositions... at least according to *Discrete Mathematics*, Murdoch University, 1991, p50



More Human Than Human

2.1 The application of truth-functional rationality has been fundamental to advances in computational systems. Elaborations on "Moore's Law" of 1965 (e.g., Kryder's Law). Advances in technological mediated communication through packet switching and routing technologies. Data storage using increasingly sophisticated seek and cycle procedures and extreme improvements in density for secondary storage along with price decreases.



More Human Than Human


2.2 Engineering and Scientific applications are mostly incremental: However some single big contributions - Enigma and Lorenz Decryption (1942), Logic Theorist (1956), Email (1961), ARPANET (1969), Voyager and Galileo Space Programs (1977, 1989), Human Genome Project (2000)

2.3 Future elaborations. 2023 superhuman intelligence (Vernor Vinge), 2025 full immersion virtual reality (Arthur C. Clarke), 2029 computers will pass the Turing test (Ray Kurzweil), 2030 robots will replace humans for most manual tasks (Marshall Brain), c2035 artificial robotic species (Hans Moravec), 2045 The Singularity: A personal computer will be a billion times more powerful than the unenhanced human brain (Ray Kurzweil).

More Human Than Human

Growth in Supercomputer Power

Logarithmic Plot



More Human Than Human

3.1 The computational theory of mind is the view that the human mind ought to be conceived as an information processing system and that thought is a form of computation. Inputs from the external world create mental representations, states and physical reactions according to relatively independent functional modules which provide multiple drafts. Meaning is derived from a correlation between the input and the mental state ("natural meaning"). Fodor, Dennett are particular advocates of this position.





Image from: Jaques Vaucanson, Canard digérant, from Le monde des automates (1928).

More Human Than Human

4.1 Computational theories of the mind do not provide a foundation for socially-derived meanings, linguistically-mediated consciousness or understanding c.f., Wittgenstein's rejection of "private languages", Bateson's concept of play, Searle's Chinese Room thought experiment, Chalmers philosophical zombies.

4.2 Computation theories of the mind provide a foundation for rules-based intelligence, but they do not provide a basis for intentionality or for the formation of *new* shared symbolic values.



More Human Than Human

5.1 The quest for understanding is a motivational instinct within the species (Habermas' first lecture). Understanding can only be achieved socially and provides a foundation for moral reasoning (Genie and the critical age hypothesis). Relationship between consciousness and conscience as a moral agent (Cicero).

5.2 Descriptive and normative statements have motivational differences (Hume) and a different temporal perspective (e.g., what *was* the case versus what *should* have been). Biological (e.g., evolutionary adaptive pressure) and neurological approaches to moral reasoning (e.g., mirror neurons) provide an explanation of *what*, but not *why*, moral choices have been made. Normative positions provide motivation for the future and critical reflection on the past.

More Human Than Human

5.3 The rationalisation complexes of formal pragmatics provide the “world” of investigation and the means of verification.

Orientations	<u>Worlds</u>	<u>Physical</u>	<u>Social</u>	<u>Individual</u>
Constative		Science	Institutions	(x)
Regulative		(x)	Laws	Morals
Expressive		Aesthetics	(x)	Senses

(Derived from Habermas, The Theory of Communicative Action, Vol I)

5.4 However human rationality typically engages in a range of modal confusions that breach pragmatic boundaries. Further we have irrational biases based on instinctual reactions, heuristic reasoning and social loyalties (e.g., the ethics of saving one's child in preference to saving several others simultaneously).

More Human Than Human

6.1 An amoral position, effectively an individual moral relativist position, would be reduced to a rampaging monster of the id. A cultural moral relativism is the contextual application of a moral absolutism. A universal moral perspective however looks at the *process* rather than the *content*. It operates on the basis of a continuum where moral judgement is derived from a consensus of informed consent between subjects.

6.2 Moral universalism (following Kant deontological imperative, Otto-Apel pragmatic approach) also provides a differentiation between moral principles and utilitarian situational ethics; the latter which allows for breaches of moral judgement when, and only when, there is grounded reasons for believing that a greater moral crime will occur without the breach (e.g., the axe-murderer at the door, humanitarian intervention).

More Human Than Human

7.1 When grounded in formal pragmatics (objective verification for facts, intersubjective agreement for morals, subjective sincerity for expressions) then the basic principles of calculus can be reapplied (Bentham revived!), according to the logical operators. Self-regarding acts (Mill) can be simulated by an "or" statement within judgement to acquire moral justification; other-regarding acts required an "and" statement.

(Patricia and Quentin decide whether they approve or disapprove of an activity. Previous caveats concerning Bayesian logic etc apply; this should be seen as a continuum, with discrete values best used for illustrative purposes.)

P	Q	P Q	P&Q	P^Q
Y	Y	Y	Y	N
Y	N	Y	N	Y
N	Y	Y	N	Y
N	N	N	N	N

More Human Than Human

7.2 A strict application of intersubjective morals and utilitarian situational ethics means that certainly "inhuman" decisions will be made, at least according the "moral average" position. The "morally average" is however, not necessarily a principled position but rather mid-level in the development of moral reasoning (Kohlberg, Gilligan).

7.3 Problematic elements of propositional and predicate calculus remain. However the serious issues of incommensurability between the different systems of verification can be partially overcome by applying a phenomenology of technology.